

**Use of Dicamba on Crops as Surveyed by the National Agricultural
Statistics Services (NASS)**

| Corn | | National | | Surveyed Acres: 80,630,000 | |
|-------------|-----------------------|------------------------|---------------------|-----------------------------------|----------------|
| Crop Year | Percent Acres Treated | Number of Applications | Rate of Application | Rate per Crop Year | Pounds Applied |
| 2014 | 10.2 | 1.03 | 0.146 | 0.154 | 1,304,000 |
| 2010 | 6.5 | 1.14 | 0.150 | 0.175 | 998,000 |
| 2005 | 12.0 | 1.03 | 0.174 | 0.179 | 1,739,000 |
| 2003 | 17.0 | 1.00 | 0.202 | 0.202 | 2,505,000 |
| 2002 | 22.5 | 1.00 | 0.212 | 0.215 | 2,452,000 |
| 2001 | 24.2 | 1.00 | 0.191 | 0.197 | 3,235,000 |
| 2000 | 29.0 | 1.00 | 0.227 | 0.227 | 4,933,000 |
| 1999 | 23.0 | 1.00 | 0.343 | 0.343 | 5,472,000 |
| 1998 | 24.0 | 1.00 | 0.353 | 0.359 | 6,324,000 |
| 1997 | 29.0 | 1.00 | 0.320 | 0.320 | 5,797,000 |
| 1996 | 25.0 | 1.00 | 0.320 | 0.320 | 5,545,000 |
| 1995 | 27.0 | 1.00 | 0.330 | 0.340 | 5,762,000 |
| 1994 | 29.0 | 1.00 | 0.340 | 0.350 | 6,322,000 |
| 1993 | 21.0 | 1.00 | 0.330 | 0.340 | 4,598,000 |
| 1992 | 21.0 | 1.00 | 0.340 | 0.340 | 5,068,000 |
| 1991 | 16.0 | 1.00 | 0.330 | 0.330 | 3,556,000 |
| 1990 | 17.9 | 1.02 | 0.330 | 0.340 | 4,478,000 |
| 1982 | 11.0 | 1.02 | 0.231 | 0.234 | 2,108,500 |
| 1971 | 2.2 | 1.00 | 0.172 | 0.172 | 284,000 |

| Cotton, Upland | | National | | Surveyed Acres: 7,871,000 | |
|-----------------------|-----------------------|------------------------|---------------------|----------------------------------|----------------|
| Crop Year | Percent Acres Treated | Number of Applications | Rate of Application | Rate per Crop Year | Pounds Applied |
| 2015 | 6.0 | 1.08 | 0.287 | 0.311 | 130,000 |
| 2010 | 8.2 | 1.00 | 0.219 | 0.222 | 168,000 |
| 2007 | 7.5 | 1.00 | 0.210 | 0.213 | 164,000 |
| 2005 | 2.2 | 1.04 | 0.214 | 0.220 | 72,000 |
| 2003 | 0.7 | 1.00 | 0.200 | 0.200 | 18,000 |
| 1999 | 0.1 | 1.00 | 0.290 | 0.290 | 6,000 |
| 1997 | 1.0 | 1.10 | 0.640 | 0.680 | 59,000 |

Use of Dicamba on Crops as Surveyed by the National Agricultural Statistics Services (NASS)

Soybeans **National** **Surveyed Acres: 79,080,000**

| Crop Year | Percent Acres Treated | Number of Applications | Rate of Application | Rate per Crop Year | Pounds Applied |
|-----------|-----------------------------|---------------------------|------------------------|-----------------------|-------------------|
| 2015 | 0.8 | 1.00 | 0.275 | 0.275 | 172,000 |
| 2012 | 0.6 | 1.00 | 0.186 | 0.186 | 87,000 |
| 2006 | 0.1 | 1.00 | 0.250 | 0.250 | 16,000 |
| 2005 | 0.2 | 1.00 | 0.263 | 0.263 | 40,000 |

Wheat **National** **Surveyed Acres: 53,810,000**

| Crop Year | Percent Acres Treated | Number of Applications | Rate of Application | Rate per Crop Year | Pounds Applied |
|-----------|-----------------------------|---------------------------|------------------------|-----------------------|-------------------|
| 1971 | 1.5 | 1.00 | 0.094 | 0.094 | 77,000 |

Wheat, Spring (excl. **National** **Surveyed Acres: 12,160,000**

| Crop Year | Percent Acres Treated | Number of Applications | Rate of Application | Rate per Crop Year | Pounds Applied |
|-----------|-----------------------------|---------------------------|------------------------|-----------------------|-------------------|
| 2015 | 6.0 | 1.20 | 0.099 | 0.117 | 89,000 |
| 2012 | 5.0 | 1.00 | 0.110 | 0.113 | 58,000 |
| 2009 | 5.0 | 1.08 | 0.100 | 0.107 | 66,000 |
| 2006 | 12.0 | 1.11 | 0.092 | 0.097 | 177,000 |
| 2004 | 12.0 | 1.09 | 0.080 | 0.089 | 143,000 |
| 2002 | 18.0 | 1.00 | 0.050 | 0.050 | 120,000 |
| 2000 | 25.0 | 1.20 | 0.090 | 0.110 | 383,000 |
| 1998 | 24.0 | 1.00 | 0.070 | 0.070 | 271,000 |
| 1997 | 27.0 | 1.00 | 0.070 | 0.070 | 332,000 |
| 1996 | 28.0 | 1.10 | 0.080 | 0.080 | 376,000 |
| 1995 | 30.0 | 1.00 | 0.070 | 0.070 | 309,000 |
| 1994 | 37.0 | 1.00 | 0.070 | 0.070 | 446,000 |
| 1993 | 34.0 | 1.00 | 0.070 | 0.070 | 389,000 |
| 1992 | 29.0 | 1.00 | 0.070 | 0.070 | 372,000 |
| 1991 | 25.0 | 1.00 | 0.070 | 0.080 | 257,000 |
| 1990 | 21.3 | 1.00 | 0.080 | 0.080 | 276,000 |

**Use of Dicamba on Crops as Surveyed by the National Agricultural
Statistics Services (NASS)**

| | | | | | |
|------|-----|------|-------|-------|---------|
| 1994 | 9.0 | 1.00 | 0.090 | 0.100 | 311,000 |
| 1993 | 7.0 | 1.00 | 0.080 | 0.080 | 219,000 |
| 1992 | 4.0 | 1.00 | 0.080 | 0.080 | 115,000 |
| 1991 | 3.0 | 1.00 | 0.100 | 0.100 | 106,000 |
| 1990 | 3.7 | 1.05 | 0.110 | 0.120 | 175,000 |